




ITEMS MAKING THEIR FIRST APPEARANCE IN THIS CATALOG HAVE THEIR PART NUMBERS SHADED FOR QUICK IDENTIFICATION!

A.I.McDERMOTT CO.

WEIL McLAIN GAS & OIL BOILERS

PRODUCT	DESCRIPTION	ORDER	PRICE	
WEIL-McLAIN ULTRA Series 3 Boilers Fully Modulating, Condensing Gas Boilers Capable of Up to 98% Efficiency! These Units Feature the All New Cast Monoblock Aluminum Heat Exchanger, Sealed Combustion, Freeze Protection AND a 5-Year Parts and Labor Plan with Each ULTRA Boiler.				
Please Note: ALL Weil McLain Boiler BTU Ratings shown are 'Net-IBR'.				
 <p>A</p>	A- Nat - Power Vent Direct - Spark Ignition - 62,000 BTU	A- WML ULTRA80N	A 7,158.39	
	LP - Power Vent Direct - Spark Ignition - 62,000 BTU	WML ULTRA80LP	7,158.39	
	Nat/LP - Power Vent Direct - Spark Ignition - 81,000 BTU	WML ULTRA105	7,932.40	
	Nat/LP - Power Vent Direct - Spark Ignition - 123,000 BTU	WML ULTRA155	8,898.71	
	Nat/LP - Power Vent Direct - Spark Ignition - 163,000 BTU	WML ULTRA230	10,065.38	
	Nat/LP - Power Vent Direct - Spark Ignition - 234,000 BTU	WML ULTRA299	13,937.05	
ULTRA BOILERS QUALIFY FOR THE 2011 "FOCUS ON ENERGY" REBATES!				
WEIL McLAIN "GOLD" HIGH EFFICIENCY - 91% Innovative Dual Circulator Design Allows for Accurate Mixing of Return Water Temperature to Protect the Boiler's Internal Section from Condensing. Requires 3" PVC Vent Piping & a Condensate Drain.				
 <p>B</p>	B- 3 Sect-Nat Gas-3"Power Vent-Hot Surface Ignition - 56,000 BTU	B- WML GV90+3	B 4,781.27	
	4 Sect-Nat Gas-3"Power Vent-Hot Surface Ignition - 84,000 BTU	WML GV90+4	5,114.41	
	5 Sect-Nat Gas-3"Power Vent-Hot Surface Ignition-113,000 BTU	WML GV90+5	5,896.43	
	6 Sect-Nat Gas-3"Power Vent-Hot Surface Ignition-140,000 BTU	WML GV90+6	6,665.94	
GV90+ BOILERS QUALIFY FOR THE 2011 "FOCUS ON ENERGY" REBATES!				
ALL NEW WEIL-McLAIN CGS GAS BOILER - UP TO 85% AFUE Sealed Combustion at a Competitive Price - Stainless Steel Burners - Side or Vertical Venting Flexibility with AL29-4C Stainless Steel Vent - Natural and LP Models.				
 <p>C</p>	C- 3 Sect-Nat/LP- 3" Power Vent-Spark Ignition - 50,000 BTU	C- WML CGS3	C 3,981.55	
	4 Sect-Nat/LP- 3" Power Vent Spark Ignition - 74,000 BTU	WML CGS4	4,219.09	
	5 Sect-Nat/LP- 3" Power Vent Spark Ignition - 97,000 BTU	WML CGS5	4,632.76	
	6 Sect-Nat/LP- 3" Power Vent Spark Ignition - 122,000 BTU	WML CGS6	5,271.03	
"Type CGI" - 82% Seasonal Operating Efficiency. Can Be Vented To The Existing Chimney Along With Other Appliances with 4" & 5" Galv Vent Pipe. If Venting Horizontally You MUST use AL29-4C Stainless Steel Vent Pipe and Fittings. When Venting Horizontally You Must Use Both The CCI Starter - Part # WML 699-999-015 And The CGI Inline Drain Section - Part # WML 699-999-014.				
 <p>D</p>	D- 3 Sect-Nat/LP - 3"Power Vent-Spark Ignition - 50,000 BTU	D- WML CGI3	D 3,538.80	
	4 Sect-Nat/LP - 3"Power Vent-Spark Ignition - 74,000 BTU	WML CGI4	3,878.14	
	5 Sect-Nat/LP - 3"Power Vent-Spark Ignition - 97,000 BTU	WML CGI5	4,361.29	
	6 Sect-Nat/LP - 3"Power Vent-Spark Ignition - 122,000 BTU	WML CGI6	4,917.15	
	7 Sect-Nat Gas - 3"Power Vent-Spark Ignition - 145,000 BTU	WML CGI7	5,536.04	
	Type CGA Boilers-81% Efficient-Standing Pilot W/Damper - LP 83% Efficient			
	E- 2 Sect - Nat Gas - Standing Pilot - 4" Vent - 38,000 BTU	E- WML CGA25SPDN	E 2,435.21	
3 Sect - Nat/LP - Standing Pilot - 4" Vent - 51,000 BTU	WML CGA3SPDN	2,769.91		
4 Sect - Nat/LP - Standing Pilot - 5" Vent - 77,000 BTU	WML CGA4SPDN	3,042.06		
5 Sect - Nat/LP - Standing Pilot - 6" Vent - 102,000 BTU	WML CGA5SPDN	3,472.17		
6 Sect - Nat/LP - Standing Pilot - 6" Vent - 127,000 BTU	WML CGA6SPDN	4,044.61		
7 Sect - Nat Gas - Standing Pilot - 7" Vent - 152,000 BTU	WML CGA7SPDN	4,557.61		
8 Sect - Nat Gas - Standing Pilot - 7" Vent - 177,000 BTU	WML CGA8SPDN	5,036.21		
CGA Boilers 83% to 84% Efficient - Spark Ignition W/Damper-Nat Gas				
 <p>F</p>	F- 3 Sec - Nat Gas - Spark Ignition - 4" Vent - 51,000 BTU	F- WML CGA3PIDN	F 3,325.50	
	4 Sec - Nat Gas - Spark Ignition - 5" Vent - 77,000 BTU	WML CGA4PIDN	3,523.78	
	5 Sec - Nat Gas - Spark Ignition - 6" Vent - 102,000 BTU	WML CGA5PIDN	3,966.41	
	6 Sec - Nat Gas - Spark Ignition - 6" Vent - 127,000 BTU	WML CGA6PIDN	4,710.32	
ALL CG SERIES WEIL-McLAIN CAST IRON GAS BOILERS COME EQUIPPED WITH TACO CIRCULATORS AND STAINLESS STEEL BURNERS "GOLD" OIL BOILERS - MIN 84.6+ % EFFICIENCY				
 <p>G</p>	G- 2 Section-Oil-8X8X15 Vent- "GOLD" OIL - 75,000 BTU	G- WML PWGO2	G 3,687.46	
	3 Section-Oil-8X8X15 Vent- "GOLD" OIL - 100,000 BTU	WML PWGO3	4,274.49	
	4 Section-Oil-8X8X15 Vent- "GOLD" OIL -126,000 BTU	WML PWGO4	4,938.16	
	5 Section-Oil-8X8X15 Vent- "GOLD" OIL -152,000 BTU	WML PWGO5	5,557.05	

Weil McLain Indirect Fired Water Heaters are on page 60.



Oshkosh
800-242-0357

Green Bay
800-236-7867

Watertown
800-236-5966

PRICE	ORDER	DESCRIPTION	PRODUCT
		White Rodgers	
		WHITE RODGERS	
A 58.35	A WHR 1F56N-444	A Thermostat, Use with 2 Wire & 3 Wire Valves - 24 Volt - Heating Only (<i>replaces WHR1F30-910 & WHR1F35-910</i>)	IF56N-444
49.86	WHR 1F56-301	2 or 4 Wire Heating-Cooling Thermostat - 24 Volt-With Sub Base	1F56-301
B 220.41	B WHR 1311-102	B 3/4" Zone Valve - 3 Wire	 B 1311-102 1311-103 1361-102 1361-103
234.39	WHR 1311-103	1" Zone Valve - 3 Wire	
253.39	WHR 1361-102	3/4" Zone Valve - 2 Wire	
292.88	WHR 1361-103	1" Zone Valve - 2 Wire	
C 266.20	C WHR 8J48A-209	Combination Hi-Limit/Relay 24V	 C S81-125
45.72	C WHR S81-125	C 25 Volt Transformer - 40 Volt Amps Carrying Capacity	
217.84	WHR1127-2	Strap-On Single Pole Double Throw Pump Control/Safety Cutoff	
D 9.28	D WHR H06E-24	D (Not Illustrated) 24 in Thermocouple for Water Heaters and Boilers	
9.88	WHR H06E-36	D (Not Illustrated) 36 in Thermocouple for Water Heaters and Boilers	

NEW!! SAF-T Vent EZ Seal from HEAT FAB!!
AL29-4C STAINLESS STEEL VENT PIPE *Easy to Install Because the Seal is Built Right Into the Pipe and Fittings. Use on ALL CGS and CGI Boilers*

E 29.77	E HFB 4326SS	E 3" 304 Stainless Steel Storm Collar	 E 5300C1 Rain Cap 4326SS Storm Collar 7392CC Termination Coupling 9311 45° Ell 9324 Slip Connector 9314 90° Ell 9321 Inline Drain
146.98	HFB 5300C1	3" AL29-4C Stainless Steel SAFTVENT Rain Cap	
82.84	HFB 9314TERM	3" AL29-4C SAFTVENT Termination Ell	
80.16	HFB 9390TEE	3" AL29-4C SAFTVENT Termination Tee	
32.35	HFB 9392	3" AL29-4C SAFTVENT Termination Coupling	
37.18	HFB 93WMCGIS	3" AL29-4C EZSEAL CGI/CGS Starter	
25.88	HFB 9301	3" X 6" AL29-4C EZSEAL Vent Pipe	
37.72	HFB 9302	3" X 12" AL29-4C EZSEAL Vent Pipe	
64.99	HFB 9305	3" X 24" AL29-4C EZSEAL Vent Pipe	
85.14	HFB 9307	3" X 37.5" AL29-4C EZSEAL Vent Pipe	
66.93	HFB 9311	3" 45 Degree AL29-4C EZSEAL Ell	
97.27	HFB 9314	3" 90 Degree AL29-4C EZSEAL Ell	
61.28	HFB 9321	3" AL29-4C EZSEAL Inline Drain	
64.99	HFB 9324	3" AL29-4C EZSEAL Slip Connector	
150.23	HFB 9360	3" X 60" AL29-4C EZSEAL Vent Pipe	

A simple, easy to install solution for downsizing and relining existing chimneys.
FLEXILINER aluminum chimney liner kits may be used to vent most gas fired heating equipment that do not require stainless steel vent. *

F 178.04	F FLE A35-03	F 3" X 35ft Aluminum Chimney Liner Kit
181.83	FLE A35-04	4" X 35ft Aluminum Chimney Liner Kit
192.35	FLE A35-05	5" X 35ft Aluminum Chimney Liner Kit
228.20	FLE A35-06	6" X 35ft Aluminum Chimney Liner Kit

* Stainless Steel Chimney Liner Kits are Available on a Special Order Basis. Call 800-242-0357 for Pricing

Use AL29-4C STAINLESS STEEL Vent Pipe for "GOLD" And CGI Series Boilers

BELL & GOSSETT (B&G)		
G 99.58	G BEL FB38	G 1/2" Pressure Reducing Valve - Std Setting 12#
157.85	BEL B712	3/4" Pressure Reducing Valve - Std Setting 12#
155.96	BEL ATF-12	Tank Fitting For 12" to 14" Dia Tank - Piped to Boiler
61.60	BEL DT-2	Drain-O-Tank Charger-For Water Logged Expansion Tank
33.46	BEL 118705	Cast Iron Coupler For #100 Circulator

F FLEXILINER Chimney Liner Kit

BECKETT HOT WATER HEATING SYSTEM FUEL ECONOMIZER		
H 257.47	H BEC 7512	H Beckett Hot Water Heating System Fuel Economizer <i>Reduces Boiler On/Off Cycles Up to 30% Works with Any Fuel</i>

G B & G ACCESSORIES

FB38 ATF-12








H BECKETT 7512



ITEMS MAKING THEIR FIRST APPEARANCE IN THIS CATALOG HAVE THEIR PART NUMBERS SHADED FOR QUICK IDENTIFICATION!

A.I.McDERMOTT CO.

WEIL-McLAIN HEATERS - RECIRCULATION PUMPS

PRODUCT	DESCRIPTION	ORDER	PRICE
<p>AQUA Plus 45 WaterHeater</p> <p>A</p>  <p>WEIL-McLAIN "PLUS" UNIT</p>  <p>Furnished with 3/4" NPT Brass Tee, Drain Valve & Auto Air Vent</p>	<p>Weil McLain's All NEW AQUA Plus Indirect Fired Water Heaters <i>Get More Domestic Hot Water When You Need It!</i></p> <p>First Hour Capacities Range From 223 Gallons to 483 Gallons - Depending on Boiler Size (based on 200 degree boiler supply water temperatures at 90 degree rise)</p> <p>29.6 Gallon Indirect Heater with Stainless Steel Tank & Coil 39.9 Gallon Indirect Heater with Stainless Steel Tank & Coil 53.1 Gallon Indirect Heater with Stainless Steel Tank & Coil 80.6 Gallon Indirect Heater with Stainless Steel Tank & Coil 109.4 Gallon Indirect Heater with Stainless Steel Tank & Coil</p>	<p>WML AQUAPLUS35-GOLD WML AQUAPLUS45-GOLD WML AQUAPLUS55-GOLD WML AQUAPLUS85-GOLD WML AQUAPLUS105-GOLD</p>	<p>A- 2,199.23 2,212.15 2,991.01 3,679.38 5,266.19</p>
<p>All Indirect Heaters Listed Above Are Also Available in Pewter to Match the Color of the Ultra Boilers McDermott's Provides a Choice on Indirect Fired Water Heaters - We Also Handle ...</p>			
<p>The Amtrol Hot Water Maker</p> <p>B</p>  <p>Steel Tank, Urethane Insulation, Polyethylene Liner, Cold Water Inlet, Boiler Water Supply, Heat Exchanger, Temperature Sensor (Closed Well), Electronic Control (Smart Control)</p>	<p>Amtrol Hot Water Maker W/Energy Saving "Smart Control"</p> <p>AMT WH-41L</p>	<p>AMT WH-41L</p>	<p>B- 2,042.76</p>
<p>The Amtrol Champion BOILERMATE <i>6 Year Champion Series Boilermate with All Pipe & Wiring Connections on Top!</i></p>			
<p>C</p> <p>AMT CH-41Z AMTROL Champion Series BOILERMATE</p> 	<p>Model - 41 Gallon Boilermate Top Mounted Heat Exchanger & Control</p> <p>Accessories For Indirect Water Heaters</p> <p>3/4" Antiscald Valve 90-120 Degrees 3/4" Antiscald Valve 110-145 Degrees 1" 3-Way Mixing Valve 80-160 Degrees 3/4" 3-Way Mixing Valve 100-140 Degrees 1" 3-Way Mixing Valve 100-140 Degrees Therm-X-Trol for Potable Water - PLUS 30 & PLUS 40 - 8"x12-1/2" Dim. Therm-X-Trol for Potable Water - PLUS 60 & PLUS 80 - 11"x15" Dim. Relief Valve for 'PLUS' Heaters - Long Element</p>	<p>AMT CH-41Z SPA AM101C SPA AM101 SPA AM102RUT LGD T41-3/4 LGD T41-1 AMT ST-5 AMT ST-12 WAT 100XL-8</p>	<p>C- 1,482.89 D- 164.32 125.20 181.32 213.59 209.39 95.72 128.28 32.17</p>
<p>WEIL-McLAIN BOILER CONTROL PANEL (not illustrated)</p>			
<p>F</p> <p>Hot Water Angle Radiator Valve</p>  <p>Union Ell Threaded</p> 	<p>Outdoor Reset Control for up to 3 Boilers</p> <p>RADIATOR VALVES, ELLS, ETC.</p> <p>3/4" Hot Water Angle Radiator Valve 1" Hot Water Angle Radiator Valve 1-1/4" Hot Water Angle Radiator Valve 1-1/2" Hot Water Angle Radiator Valve 3/4" Union Ell - Threaded 1" Union Ell - Threaded</p>	<p>WML BCP3 LGD T437-3/4 LGD T437-1 LGD T437-1-1/4 LGD T437-1-1/2 LGD T438-3/4 LGD T438-1</p>	<p>E- 1,132.74 F- 31.52 52.93 67.34 103.76 13.46 30.98</p>
<p>GRUNDFOS CIRCULATORS</p>			
<p>GRUNDFOS</p> 	<p>1 Speed Standard Circulator 1 Speed Circulator W/Rotated Flange 3 Speed Super Brute Circulator W/Check Valve 3 Speed Circulator W/Rotated Flange and Check Valve</p>	<p>GRU UP15-42F GRU UP15-42FR GRU UPS15-58FC GRU UPS15-58FRC</p>	<p>G- 193.97 193.97 206.57 220.42</p>



Oshkosh
800-242-0357

Green Bay
800-236-7867

Watertown
800-236-5966

A.I.McDERMOTT CO.

WEIL-McLAIN BOILER PARTS

PRICE	ORDER	DESCRIPTION	PRODUCT	
WEIL-McLAIN BOILER REPAIR PARTS				
<u>HE/VHE HOT SURFACE IGNITION MODELS</u>				
A 79.84	A WML 511-330-184	A HOT SURFACE IGNITOR ONLY	A	
320.47	WML 510-811-502	IGNITION CONTROL MODULE		
77.72	WML 511-330-192	FLAME SENSOR		
575.21	WML 510-811-655	GAS VALVE - NATURAL		
435.61	WML 510-811-656	GAS VALVE - L.P.		
503.97	WML 510-312-312	BLOWER ASSEMBLY HE/HE II		
498.12	WML 510-312-317	BLOWER ASSEMBLY VHE		
64.08	WHR 90-112	TRANSFORMER WITH RELAY BASE		
42.79	WML 510-350-223	PLUG IN RELAY FOR WHR 90-112 (old # WHR S84A-85)		
<u>HE/VHE SPARK IGNITION MODELS</u>				
B 124.08	B WHR E50-106	B PILOT BURNER ASSEMBLY	B	
287.76	WHR 3098-156	PLUG IN FLAME SENSOR		
169.86	NEU 5059-23	RELITE CONTROL - NATURAL		
201.11	WML 511-330-118	RELITE CONTROL - L.P.		
229.26	WML 511-044-288	GAS VALVE - NATURAL		
270.30	WML 511-044-289	GAS VALVE - L.P.		
18.53	WML 512-050-230	THERMOFUSE ELEMENT		
42.79	WML 510-350-369	PREPURGE TIMER		
<u>GV GOLD BOILERS</u>				
C 78.84	C WML 511-330-148	C HOT SURFACE IGNITOR		C
360.70	WML 382-200-448	GOLD CONTROL MODULE GV/HE II		
305.63	WML 511-330-088	GCM CONTROL MODULE GV SERIES 3		
452.91	WML 382-200-410	GAS VALVE GOLD - NATURAL AND L.P.		
70.64	WML 511-624-520	PRESSURE SWITCH - ALL SIZES		
836.21	WML 382-200-340	BLOWER ASSEMBLY		
293.93	WML 382-200-345	BLOWER MOTOR KIT		
35.32	WML 382-200-375	BLOCK TEMPERATURE SWITCH KIT		
112.97	WML 510-312-019	LIMIT CONTROL WITH WELL		
43.68	WML 511-842-370	TRANSFORMER		
95.72	WML 510-312-167	TRANSFORMER/RELAY FOR CGA STANDING PILOT		
<u>CG BOILER FAMILY (Not Illustrated)</u>				
D 228.68	D WML 511-044-360	D GAS VALVE NATURAL CG STANDING PILOT		
156.23	WML 511-044-258	GAS VALVE L.P. CG STANDING PILOT		
138.12	WML 511-044-381	GAS VALVE NATURAL CGPIDN/CGX/CGI 3,4,5,6		
138.12	WML 511-044-354	GAS VALVE L.P. CGI 3,4,5,6		
187.89	WML 511-330-095	CONTROL MODULE CGPIDN/CGX		
190.16	WML 511-330-099	CONTROL MODULE CGI		
133.45	WML 511-330-218	PILOT BURNER ASSEMBLY CGPIDN/CGX		
175.95	WML 510-811-221	PILOT ASSEMBLY KIT NATURAL CGI		
202.88	WML 510-811-222	PILOT ASSEMBLY KIT L.P. CGI		
48.45	WML 511-624-450	PRESSURE SWITCH CGI 3, 4		
48.45	WML 511-624-451	PRESSURE SWITCH CGI 5		
48.45	WML 511-624-452	PRESSURE SWITCH CGI 6		
<u>MISCELLANEOUS PARTS (Not Illustrated)</u>				
E 58.66	E WML 380-000-000	E PRESSURE TEMPERATURE GAUGE GV/CGI/CGS/CGA/WGO	F	
82.08	WML 511-624-514	PRESSURE SWITCH VHE		
79.46	WML 511-624-510	PRESSURE SWITCH HE/HE II 3,4,5		
79.46	WML 511-624-511	PRESSURE SWITCH HE/HE II 6		
18.67	WML 512-200-077	BURNER TUBE HE/VHE		
201.85	WML 510-311-030	HIGH LIMIT & RELAY FOR SERIES 66,68 OIL BOILERS		
925.74	WML 382-200-451	CONVERSION KIT HE/VHE FENWAL TO GOLD		
153.96	WML 386-500-085	COMBUSTION CHAMBER SERIES 65,66,68 OIL BOILERS		
173.20	WML 633-900-130	THERMOSTAT KIT FOR PLUS INDIRECT WATER HEATERS		
<u>ULTRA BOILER PARTS</u>				
F 34.83	F WML 383-500-045	F IGNITION ELECTRODE - ALL ULTRA BOILERS		
573.43	WML 383-500-190	CONTROL MODULE ULTRA 155/230 - SERIES 1 & 2		
83.25	WML 383-500-195	TRANSFORMER ULTRA 155/230		
296.39	WML 383-500-408	DISPLAY BOARD/BRACKET ASSEMBLY ULTRA 155/230		
81.51	WML 383-500-210	PRESSURE/TEMPERATURE GAUGE ULTRA 155/230		
74.72	WML 383-500-125	OUTDOOR TEMPERATURE SENSOR ULTRA 155/230		
704.40	WML 383-501-027	BLOWER ASSEMBLY KIT ULTRA 80		
617.19	WML 383-500-035	BLOWER ASSEMBLY KIT ULTRA 155		
693.79	WML 383-500-040	BLOWER ASSEMBLY KIT ULTRA 230		
383.02	WML 383-500-025	GAS VALVE KIT ULTRA 155		
544.34	WML 383-500-030	GAS VALVE KIT ULTRA 230		
21.49	WML 383-500-300	SUPPLY/RETURN WATER TEMPERATURE SENSOR ULTRA		
135.54	WML 383-500-055	FLUE TEMPERATURE SENSOR KIT ULTRA 155/230		
90.54	WML 389-900-180	WALL MOUNT KIT - ULTRA BOILERS		
339.49	WML 383-500-627	ULTRA 'U' CONTROL MODULE - SERIES 3		
90.54	WML 383-500-605	MAINTENANCE KIT - ULTRA 80, 105		
109.01	WML 383-500-620	MAINTENANCE KIT - ULTRA 155-399		



Fits Bell & Gossett® And Armstrong® Pumps
*Both not affiliated with Taco, Inc.

Pro-Fit Pump Less Volute Replacement Pump Kits include **everything** but the Pump Volute: Motor, Bearing Assembly, Faceplate, Seal, Impeller, Gasket and Screws.

Model No.	Replaces all Models, Iron or Bronze	
	BELL & GOSSETT	ARMSTRONG
RPK-A-100	100	S-25
RPK-B-101	HV or 2" (old & new)	S-35, H-32
RPK-C-100	PR	H-41
RPK-C-101	2-1/2 or LD3	S-45 (2-1/2" or 3")
RPK-C-102	HD3	S-46
RPK-D-100	PD35S	S-55
RPK-D-101	PD37S, 60-14, 611	S-57, H-54
RPK-D-102S	60-11 (604S)	H-51
RPK-D-103	60-2	H-52
RPK-D-104	60-13 (608S)	H-53
RPK-D-200	PD35T	H-55-3
RPK-D-201	PD37T, 60-14T, 611T	S-57-3, H-54-3
RPK-D-204	60-13T (608T)	H-53-3

Shaded Model No.'s Indicate
Repair Kits We Catalog.


Pro-Fit® Pump Less Volute

The Pro-Fit® Pump Less Volute replacement pump kits from Taco are an economical alternative for retrofits of Bell & Gossett or Armstrong circulators. Made of pre-assembled, high-quality Pro-Fit® components, each model is a universal replacement for multiple circulator models in either iron or bronze construction.

PRO-FIT PUMP LESS VOLUTE REPLACEMENT PUMP KITS

Pro-Fit Replacement Pump Kit for B&G HD3	PRF RPKC102	1,344.86
Pro-Fit Replacement Pump Kit for B&G PD35	PRF RPKD100	1,874.41
Pro-Fit Replacement Pump Kit for B&G PD37	PRF RPKD101	1,916.42
Pro-Fit Replacement Pump Kit for B&G 60	PRF RPKD102S	1,798.08

(See Replacement Cross Reference Chart for Other Models)



The Chart Below Details Additional Pro-Fit Parts Available for B&G and Armstrong Replacements.

PRO-FIT PARTS CROSS REFERENCE CHART

PRO FIT PART #	DESCRIPTION	REPLACES B&G #	REPLACES ARMSTRONG #
PRFBRG-A-100	BEARING ASSEMBLY	118844	816019-002
		189034	816019-002
PRFBRG-B-100	BEARING ASSEMBLY	189100	816549-091
		189101	816549-091
		189102	816549-091
PRFBRG-B-101	BEARING ASSEMBLY	189103	816549-091
		189120	816023-001
		189121	816023-001
		189122	816023-001
		189129	816023-001
		189131	816023-001
PRFBRG-D-100	BEARING ASSEMBLY	186863	816032-000
		186864	816032-000
PRFCOU-ABC-100	COUPLER	118705	806026-001
		118723	806168-001
		189110	816026-001
PRFCOU-D-100	COUPLER	118473	807436-000
		118709	806137-000
PRFMOT-A-100	MOTOR	111034	805316-010
PRFSLK-ABCD-100	SEAL KIT	118681	816706-001
		186681	816706-002



Oshkosh
800-242-0357

Green Bay
800-236-7867

Watertown
800-236-5966

A.I.McDERMOTT CO.

TACO CIRCULATORS & ACCESSORIES









ORDER	DESCRIPTION	PRICE	PRODUCT
TACO CIRCULATORS AND ACCESSORIES			
Unique Replaceable Cartridge Design - Field Serviceable - Unmatched Reliability - Quiet, Efficient Operation Universal Flange to Flange Dimension - Compact Design comfort made easy®			
A-TAC 006B4	1 Speed Bronze Circulator 1/40 HP - 3/4" Swt Connection	480.53	A TACO #007 Cartridge Circulator
TAC 007	1 Speed Circulator 1/25 HP Less Flanges with Gaskets	173.54	
TAC 007F1FC	1 Speed Circulator 1/25 HP L/Flanges W/Gaskets-Includes Internal Flo Check	181.94	TACO #0010 Cartridge Circulator
TAC 007BF	1 Speed Bronze Circulator 1/25 HP Less Flanges W/Gaskets	619.39	
TAC 008F1FC	008 Circulator w/Internal Flo Check	361.49	TACO #0011 High Velocity Circulator
TAC 009	1/8 HP Lo Flo/Hi Head Circulator Less Flanges	509.17	
TAC 0010F1FC	0010 Circulator w/Internal Flo Check	523.13	TACO #0012 High Velocity Circulator
TAC 0010	1 Speed Circulator 1/15 HP Less Flanges with Gaskets	523.13	
TAC 0010BF	1 Speed Bronze Circulator 1/15 HP Less Flanges W/Gaskets	842.02	TACO #00R 3-Speed Circulator
TAC 0011	1 Speed High Velocity Circulator 1/7 HP Less Flanges W/Gaskets	383.46	
TAC 0012F	1 Speed High Velocity Circulator 1/7 HP Less Flanges W/Gaskets	825.51	Universal 4-Bolt Flange
TAC 0014	1 Speed Circulator 1/8HP Less Flanges W/Gaskets	603.21	
TAC 007ZF	1 Speed Zoning Circulator 1/25HP L/Flanges w/Gaskets	335.88	TACO Zone Switching Relay
TAC 007ZF1FC	1 Speed Zoning Circulator w/Internal Flo Check <i>(Requires No Remote Relay to Wire-It is Included with the Circulator)</i>	358.27	
TAC 00R	3 Speed Radiant Circulator 1/20HP Less Flanges with Gaskets	191.73	TACO Air Scoop
TAC 0010-3	3 Speed Service Circulator W/4-Bolt Flange	489.83	
TACO FLANGE SETS (Not Illustrated)			
B-TAC 110-251	3/4" Cast Iron Flange Set	20.94	TACO Air Scoop
TAC 110-251B	3/4" Bronze Flange Set	62.89	
TAC 110-252	1" Cast Iron Flange Set	20.94	TACO Flo Check
TAC 110-252B	1" Bronze Flange Set	62.89	
TAC 110-253	1-1/4" Cast Iron Flange Set	20.94	TACO Thermostat
TAC SF075T	3/4" Brass Shut-Off Swivel Flange Set	73.56	
TAC SF100T	1" Brass Shut-Off Swivel Flange Set	85.90	TACO VORTECH
TAC SF125T	1-1/4" Brass Shut-Off Swivel Flange Set	99.92	
TACO SWITCHING RELAYS			
C-TAC SR501	1 Zone Switching Relay	121.64	TACO Air Scoop
TAC SR502	2 Zone Switching Relay	267.36	
TAC SR503	3 Zone Switching Relay	289.53	TACO Flo Check
TAC SR504	4 Zone Switching Relay	435.30	
TAC SR506	6 Zone Switching Relay	473.59	TACO Thermostat
TACO ACCESSORIES AND PARTS			
D-TAC 400-3	1/8" Cleanable Air Vent	18.19	TACO Flo Check
TAC 431	1" Air Scoop	38.91	
TAC 432	1-1/4" Air Scoop	38.91	TACO Thermostat
TAC 007-007RP	Flange Gasket Set 007,0010,0011 Circulators	14.83	
TAC 007-042RP	Replacement Cartridge For 007 Circulator	169.73	TACO VORTECH
TAC 218	3/4" Flo Check	67.18	
TAC 220	1" Flo Check	69.98	TACO Zone Valve
TAC 221	1-1/4" Flo Check	103.56	
TAC 5003-C1	3/4" 3-Way Mixing Valve - Swt Union	252.02	TACO Zone Valve
TAC 5004-C1	1" 3-Way Mixing Valve - Swt Union	301.98	
TAC 568-14	TACO 2 Wire Thermostat 24V	73.31	TACO SENTRY Zone Valve
TAC VRTX-100	TACO 1" VORTECH Air Separator	175.61	
TAC VRTX-125	TACO 1-1/4" VORTECH Air Separator	240.99	TACO SENTRY Zone Valve
TAC LTA1203S-2	TACO Low Water Cut Off-120V - Short Shank	203.52	
TAC HWBM25	2-1/2" Face - Dial Thermometer for Radiant Systems	37.00	TACO SENTRY Zone Valve
TAC 49-100C	1" High Capacity All Brass Air Separator	178.97	
TAC 49-125C	1-1/4" High Capacity All Brass Air Separator	251.71	
TACO SENTRY ZONE VALVES			
Gear Driven, Electronically Actuated Valves That Have Very Low Power Consumption - Run Up To 12 Zone Valves Per 40 VA Transformer			
E-TAC Z050C2-1	1/2" SENTRY Zone Valve - Sweat Connection - 24V	194.70	TACO SENTRY Zone Valve
TAC Z075C2-1	3/4" SENTRY Zone Valve - Sweat Connection - 24V	205.00	
TAC Z100C2-1	1" SENTRY Zone Valve - Sweat Connection - 24V	235.84	



ITEMS MAKING THEIR FIRST APPEARANCE IN THIS CATALOG HAVE THEIR PART NUMBERS SHADED FOR QUICK IDENTIFICATION!

A.I.McDERMOTT CO.

HYDRONIC BASEBOARD & ACCESSORIES

PRODUCT	DESCRIPTION	ORDER	PRICE				
A  Therma Trim  K42 - 2 Speed Blower Switch K84 - 2 Speed Blower Switch	BASEBOARD-ENCLOSURE-ELEMENT-3/4"- HEATER A 2ft Therma Trim Baseboard Unit 3ft Therma Trim Baseboard Unit 4ft Therma Trim Baseboard Unit 5ft Therma Trim Baseboard Unit 6ft Therma Trim Baseboard Unit 7ft Therma Trim Baseboard Unit 8ft Therma Trim Baseboard Unit End Cap-Left-4" for Therma Trim Baseboard End Cap-Right-4" for Therma Trim Baseboard Full Front Splice Kit-3" for Therma Trim Baseboard Therma Trim Inside Corner Element Only-Therma Trim-5ft Element Only-Therma Trim-8ft Therma Trim-Enclosure Only-4ft Therma Trim-Enclosure Only-5ft Therma Trim-Enclosure Only-6ft Therma Trim-Enclosure Only-7ft 3ft High Trim Baseboard Unit-760 BTU Per Ft at 180 Deg 5ft High Trim Baseboard Unit 8ft High Trim Baseboard Unit End Cap-Left-High Trim End Cap-Right-High Trim Cast Iron Baseboard-9" High-570 BTU Per Ft at 180 Deg 4270BTU Kickspace Fan Coil Heater for Hard to Heat Areas 8540BTU Kickspace Fan Coil Heater for Hard to Heat Areas 7960BTU Kickspace Fan Coil Heater for Hard to Heat Areas HYDRONIC HEATING ACCESSORIES B 109 Filltrol With Valve-Rated Up To 140,000BTU Boiler 110 Filltrol With Valve-Rated Up To 245,000BTU Boiler 15 X-Trol Tank Only - 8 x 11- 109 Filltrol Size 30 X-Trol Tank Only -11 x 14- 110 Filltrol Size 60 X-Trol Tank Only -11 x 23 1" Filltrol Package - Gas and Oil Boilers 1-1/4" Filltrol Package - Gas and Oil Boilers Straight Filltrol Valve for AMT109 & AMT110 12 Gal Expansion Tank-12 x 24 15 Gal Expansion Tank-12 x 30 18 Gal Expansion Tank-12 x 36 1" Purge Valve-Thrift Hydronic 30 PSI Boiler Relief Valve - 3/4" FIP 30 PSI Boiler Relief Valve - 3/4" MIP 3/4" FIP 30# Relief Valve - Watts Hydronic C 3/4" FIP Spirovent Jr. Air Eliminator 1" FIP Spirovent Jr. Air Eliminator 1-1/4" FIP Spirovent Jr. Air Eliminator 1" FIP Spirotrap Dirt Separator 1-1/4" FIP Spirotrap Dirt Separator 3/4" X 8" Flexible Riser W/3/4" Cplg Size One End 1/8" Coin Air Vent, Manual Hydrolevel Low Water Cutoff - Steam (Repl OEM24TD) Hydrolevel Steam Boiler Water Feeder Hydrolevel Boiler Low Water Cutoff - Water Only Condensate Pump/Tank/Auto Safety Switch/6' Cord - 3/8" Barb D Legend 1/2" Backflow Preventer - Threaded Legend 3/4" Backflow Preventer - Threaded Legend 1/2" Backflow Preventer - Sweat Legend 1" Bronze Wye Strainer - IPS Legend 1-1/4" Bronze Wye Strainer - IPS Legend 1" Swing Check Valve - IPS Legend 1-1/4" Swing Check Valve - IPS	A WML 611-111-005 WML 611-111-010 WML 611-111-015 WML 611-111-020 WML 611-111-025 WML 611-111-030 WML 611-111-035 WML 611-411-145 WML 611-411-150 WML 611-411-185 WML 611-411-190 WML 611-211-055 WML 611-211-070 WML 611-311-085 WML 611-311-090 WML 611-311-095 WML 611-311-100 WML 612-111-010 WML 612-111-020 WML 612-111-035 WML 612-411-150 WML 612-411-155 WML CIB9 BEA K42 BEA K84 SMTKS2008 B AMT 109 AMT 110 AMT 15 AMT 30 AMT 60 AMT 110P-1 AMT 110P1-1/4 AMT 109076 QUA1224-12 QUA1230-15 QUA1236-18 THR PV1 WML 511-546-920 WML 511-546-924 WAT 374A C SPIVJR075 SPI VJR100 SPI VJR125 SPI DNFT100 SPI DNFT125 HFL 600-3/4 KEE 4SN HYD 400 HYD VXT-24 HYD OEM170SV MYS MCU15S D LGD T459-1/2 LGD T459-3/4 LGD S459-1/2 LGD T15-1 LGD T15-11/4 LGD T451-1 LGD T451-11/4	A 30.34 45.51 60.70 75.87 91.04 106.21 121.38 15.95 15.95 7.65 13.46 40.14 45.29 40.14 50.19 60.21 70.26 82.24 137.06 219.30 23.86 23.86 81.42 440.72 498.48 445.32 B 144.14 167.26 70.00 85.60 161.22 217.38 217.38 69.75 177.60 180.82 200.20 30.77 34.08 41.55 86.99 C 170.57 191.20 264.17 177.04 259.55 45.53 3.26 378.63 531.18 209.30 62.70 D 86.01 86.01 86.01 49.91 75.74 17.58 27.51				
				<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: auto;"> All Baseboard Rated at 580 BTU Per Foot at 180 Degree Water </div>			
				 AMT 109 AMT 110	Therma Trim-Enclosure Only-4ft Therma Trim-Enclosure Only-5ft Therma Trim-Enclosure Only-6ft Therma Trim-Enclosure Only-7ft	WML 611-311-095 WML 611-311-100	60.21 70.26
				 AMT 109076	3ft High Trim Baseboard Unit-760 BTU Per Ft at 180 Deg 5ft High Trim Baseboard Unit 8ft High Trim Baseboard Unit End Cap-Left-High Trim End Cap-Right-High Trim	WML 612-111-010 WML 612-111-020 WML 612-111-035 WML 612-411-150 WML 612-411-155	82.24 137.06 219.30 23.86 23.86
				 Spirovent Jr. 3/4" FIP 1" FIP 1-1/4" FIP	Cast Iron Baseboard-9" High-570 BTU Per Ft at 180 Deg HYDRONIC HEATING ACCESSORIES B 109 Filltrol With Valve-Rated Up To 140,000BTU Boiler 110 Filltrol With Valve-Rated Up To 245,000BTU Boiler 15 X-Trol Tank Only - 8 x 11- 109 Filltrol Size 30 X-Trol Tank Only -11 x 14- 110 Filltrol Size 60 X-Trol Tank Only -11 x 23 1" Filltrol Package - Gas and Oil Boilers 1-1/4" Filltrol Package - Gas and Oil Boilers Straight Filltrol Valve for AMT109 & AMT110	BEA K42 BEA K84 SMTKS2008 B AMT 109 AMT 110 AMT 15 AMT 30 AMT 60 AMT 110P-1 AMT 110P1-1/4 AMT 109076 QUA1224-12 QUA1230-15 QUA1236-18 THR PV1 WML 511-546-920 WML 511-546-924 WAT 374A	440.72 498.48 445.32 B 144.14 167.26 70.00 85.60 161.22 217.38 217.38 69.75 177.60 180.82 200.20 30.77 34.08 41.55 86.99
				 Spirotrap 1" FIP 1-1/4" FIP	12 Gal Expansion Tank-12 x 24 15 Gal Expansion Tank-12 x 30 18 Gal Expansion Tank-12 x 36 1" Purge Valve-Thrift Hydronic 30 PSI Boiler Relief Valve - 3/4" FIP 30 PSI Boiler Relief Valve - 3/4" MIP 3/4" FIP 30# Relief Valve - Watts Hydronic	C SPIVJR075 SPI VJR100 SPI VJR125 SPI DNFT100 SPI DNFT125 HFL 600-3/4 KEE 4SN HYD 400 HYD VXT-24 HYD OEM170SV MYS MCU15S	C 170.57 191.20 264.17 177.04 259.55 45.53 3.26 378.63 531.18 209.30 62.70
				 600-3/4	1" Hydrolevel Low Water Cutoff - Steam (Repl OEM24TD) 1" Hydrolevel Steam Boiler Water Feeder 1" Hydrolevel Boiler Low Water Cutoff - Water Only 1" Condensate Pump/Tank/Auto Safety Switch/6' Cord - 3/8" Barb	D LGD T459-1/2 LGD T459-3/4 LGD S459-1/2 LGD T15-1 LGD T15-11/4 LGD T451-1 LGD T451-11/4	D 86.01 86.01 86.01 49.91 75.74 17.58 27.51
				 4SN	Legend 1/2" Backflow Preventer - Threaded Legend 3/4" Backflow Preventer - Threaded Legend 1/2" Backflow Preventer - Sweat Legend 1" Bronze Wye Strainer - IPS Legend 1-1/4" Bronze Wye Strainer - IPS Legend 1" Swing Check Valve - IPS Legend 1-1/4" Swing Check Valve - IPS		
				 MYS MCU15S 38 GPH @ 12 FT of Head			



Oshkosh
800-242-0357

Green Bay
800-236-7867

Watertown
800-236-5966

ORDER	DESCRIPTION	PRICE	PRODUCT	
RADIANT PEX TUBE FITTINGS AND ACCESSORIES				
				
A-	HEA 94305 1/2" X 300' PEX Heat Link Pipe	A- 279.44	<p>A</p>  HEA 94305  HEA 94105  HEA 78400  HEA 68005  HEA 86005  HEA 87024  HEA V4R-025 HEA V4R-032  TracPipe OmegaFlex C  TracPipe Flexible Gas Piping  AutoFlare Straight Fitting D <div style="border: 1px solid black; padding: 5px; text-align: center; margin-top: 10px;"> <p>GREAT NEWS ! 3/4" & 1" TRACPIPE IS NOW AVAILABLE IN 50 FOOT ROLLS!</p> </div>	
	HEA 94105 1/2" X 1000' PEX Heat Link Pipe	930.58		
	HEA 78400 1/2" Manifold Modules, Per Pair	112.56		
	HEA 77005 1/2" Pipe to Manifold Connectors Per Pair	14.17		
	HEA 79400 Twistseal Manifold Assembly Kit	306.16		
	HEA 86005 1/2" 90 Degree Conduit Ell	3.84		
	HEA 68005 1/2" Adapter PEX Pipe to MPT	9.55		
	HEA 87024 Reflector Plates for Heat Transfer	3.32		
	HEA V4R-025 1" - 4 Way Mixing Valve	226.32		
	HEA V4R-032 1-1/4" - 4 Way Mixing Valve	248.31		
	HEA 89107 7" Tie Wraps -PEX Pipe to Wire Mesh	0.05		
	HEA 89000 1/2" Pipe Track - 4' Each	7.52		
	HEA 89243 2" Styrofoam/InsulTarp Staples	0.46		
	HEA 56230 Manifold Zone Drive Motor for Individual Loop Control w/end switch	110.83		
<p>Telephone Glen At 1-800-242-0357 For Further Information. Wis. State Licensed Heating Designer On Staff.</p>				
<p>CounterStrike Flexible Gas Pipe for Enhanced Lightning Protection NO BONDING REQUIRED! <i>Uses the Same Fittings as Standard TracPipe</i></p>				
B-	FGP CS-500-250 1/2" 250 FT ROLL COUNTERSTRIKE	B- 970.08	 HEA V4R-025 HEA V4R-032  TracPipe OmegaFlex C  TracPipe Flexible Gas Piping  AutoFlare Straight Fitting D <div style="border: 1px solid black; padding: 5px; text-align: center; margin-top: 10px;"> <p>GREAT NEWS ! 3/4" & 1" TRACPIPE IS NOW AVAILABLE IN 50 FOOT ROLLS!</p> </div>	
	FGP CS-500-100 1/2" 100 FT ROLL COUNTERSTRIKE	388.03		
	FGP CS-750-250 3/4" 250 FT ROLL COUNTERSTRIKE	1,263.17		
	FGP CS-750-100 3/4" 100 FT ROLL COUNTERSTRIKE	505.27		
<p>TRACPIPE - With "AUTOFLARE", the Self Flaring Fitting - Gives You the Competitive Edge Over Black Pipe and Other Flexible Gas Pipes. No Special Tools Required! Faster Installation Time - Easier to Handle - AGA Listed and Tested Approved for 2 and 5 PSIG Installation - <i>Get On Track With TracPipe! - By OmegaFlex</i></p>				
<p>ANNOUNCEMENT!</p>				
<p>EFFECTIVE SEPTEMBER 1, 2011 OMEGAFLEX WILL BE DISCONTINUING THEIR YELLOW JACKETED CORRUGATED STAINLESS STEEL TUBE. WE WILL SELL THIS PRODUCT WHILE SUPPLIES LAST AND THEN TRANSITION TO THE COUNTERSTRIKE PRODUCT EXCLUSIVELY.</p>				
C-	FGP SS4-375 3/8" TRACPIPE PER FOOT	C- 3.46	 TracPipe Flexible Gas Piping  AutoFlare Straight Fitting D <div style="border: 1px solid black; padding: 5px; text-align: center; margin-top: 10px;"> <p>GREAT NEWS ! 3/4" & 1" TRACPIPE IS NOW AVAILABLE IN 50 FOOT ROLLS!</p> </div>	
	FGP SS4-375-100 3/8" 100 FT ROLL TRACPIPE	318.68		
	FGP SS4-375-250 3/8" 250 FT ROLL TRACPIPE	796.58		
	FGP SS4-500 1/2" TRACPIPE PER FOOT	3.87		
	FGP SS4-500-50 1/2" 50 FT ROLL TRACPIPE	196.08		
	FGP SS4-500-100 1/2" 100 FT ROLL TRACPIPE	356.66		
	FGP SS4-500-250 1/2" 250 FT ROLL TRACPIPE	891.39		
	FGP SS4-750 3/4" TRACPIPE PER FOOT	5.03		
	FGP SS4-750-50 3/4" 50 FT ROLL TRACPIPE	255.11		
	FGP SS4-750-100 3/4" 100 FT ROLL TRACPIPE	463.99		
	FGP SS4-750-250 3/4" 250 FT ROLL TRACPIPE	1,159.71		
	FGP SS4-100 1" TRACPIPE PER FOOT	7.20		
	FGP SS4-100-50 1" 50 FT ROLL TRACPIPE	364.09		
	FGP SS4-100-180 1" 180 FT ROLL TRACPIPE	1,191.83		
<p>NO Minimum Per Foot Purchase Requirement on TRACPIPE!</p>				
D-	FGP FST-375 3/8" AUTO FLARE STRAIGHT	D- 15.37		 AutoFlare Straight Fitting D <div style="border: 1px solid black; padding: 5px; text-align: center; margin-top: 10px;"> <p>GREAT NEWS ! 3/4" & 1" TRACPIPE IS NOW AVAILABLE IN 50 FOOT ROLLS!</p> </div>
	FGP FST-500 1/2" AUTO FLARE STRAIGHT	17.78		
	FGP FST-750 3/4" AUTO FLARE STRAIGHT	24.22		
	FGP FST-1000 1" AUTO FLARE STRAIGHT	37.41		
	FGP FSTF-500 1/2" AUTO FLARE STRAIGHT - FEMALE THREAD	17.78		
	FGP TM500 1/2" TERMINATION MOUNT	24.11		
	FGP TM750 3/4" TERMINATION MOUNT	26.71		
	FGP BFF-500 1/2" BRASS FLANGE FITTING	24.11		
	FGP BFF-750 3/4" BRASS FLANGE FITTING	31.25		